

Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480
Voltage (V)	36
IP protection class	IP3X
Brush motor (W)	1x2240
Traction motor power (W)	1400
Vacuum motor power (W)	560-3 stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	9000/6300
Scrubbing width (mm)	1000
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	10.5-16
Solution/recovery tank (L)	265/265
Squeegee width (cm)	125
Brush/pad diameter (mm)	510/508
Brush pressure (kg)	43/90/145
Brush speed (RPM)	240
Brush quantity and type	2 Disc
Length x width x height (mm)	1870x1080-x1480
Gross weight (gvw) (kg)	1460
Shipping weight (kg)	1266



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1100D	56414022
BLADE KIT-DISC RED GUM 40	56413768
BLADE KIT-SQGEE RED GUM F	56413762

Accessories	Ref. no.
Special Pad	
PAD 20 508MM ECO	10002349
PAD 20 508MM ECO	10002350
PAD 20 508MM ECO	10002351
PAD 20 508MM ECO BRILLIANCE RED 2PCS	10002348



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Pad 20" / 508 mm		
PAD 20 508MM ECO BLACK	10001955	
PAD 20 508MM ECO BLUE	10001956	
PAD 20 508MM ECO BROWN	10001957	
PAD 20 508MM ECO GREEN	10001958	
PAD 20 508MM ECO WHITE	10001960	
Disc Brush 510 mm		
BRUSH MIDLITE GRIT 180	56505798	
DISC BRUSH-20 AGLITE 3 LU	56505793	
DISC BRUSH-20 DYNA GRIT 3 LUG	56505792	
DISC BRUSH-20 MIDGRIT 3 LUG	56505797	
Battery and Charger		
BATT WET 36V 480A	80562500	
BATT.36V-420AH GEL	80562600	
CHARGER HF 36V 60A SB175G	80563664	
Guard Option		
BUMPER FRONT HEAVY KIT	56413089	
BUMPER TUBE KIT	56414188	
KIT FOOT GUARD	56413773	
KIT WEIGHTED BUMPER	56413870	
Other		
KIT BATTERY TRAY	56413740	
KIT SOLUTION AUTO-FILL	56413685	
ROLL OUT KIT,NO BATTERY	56413884	



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480
Voltage (V)	36
IP protection class	IP3X
Brush motor (W)	2x1120
Traction motor power (W)	1400
Vacuum motor power (W)	560-3 stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	9000/6300
Scrubbing width (mm)	1000
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	10.5-16
Solution/recovery tank (L)	265/265
Squeegee width (cm)	125
Brush/pad diameter (mm)	-
Brush pressure (kg)	38/54/90
Brush speed (RPM)	630
Brush quantity and type	2 Cylindrical
Length x width x height (mm)	1870x1210-x1480
Gross weight (gvw) (kg)	1508
Shipping weight (kg)	1314



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1100C	56414023
SIDE BROOM	56413056
BLADE, DECK RED GUM	56413654
BLADE KIT-SQGEE RED GUM F	56413762
LEFT SIDE BROOM ASSEMBLY	56413039
RIGHT SIDE BROOM ASSEMBLY	56413040



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Side Broom		
LEFT SIDE BROOM ASSEMBLY	56413039	
RIGHT SIDE BROOM ASSEMBLY	56413040	
SIDE BROOM	56413056	
Battery and Charger		
BATT WET 36V 480A	80562500	
BATT.36V-420AH GEL	80562600	
CHARGER HF 36V 60A SB175G	80563664	
Guard Option		
BUMPER FRONT HEAVY KIT	56413089	
BUMPER TUBE KIT	56414188	
KIT FOOT GUARD	56413773	
KIT WEIGHTED BUMPER	56413870	
Other		
KIT BATTERY TRAY	56413740	
KIT SOLUTION AUTO-FILL	56413685	
ROLL OUT KIT,NO BATTERY	56413884	



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480
Voltage (V)	36
IP protection class	IP3X
Brush motor (W)	3x1120
Traction motor power (W)	1400
Vacuum motor power (W)	560-3 stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	11700/8190
Scrubbing width (mm)	1300
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	10.5-16
Solution/recovery tank (L)	265/265
Squeegee width (cm)	145
Brush/pad diameter (mm)	430/432
Brush pressure (kg)	43/90/145
Brush speed (RPM)	225
Brush quantity and type	3 Disc
Length x width x height (mm)	1870x1330-x1480
Gross weight (gvw) (kg)	1506
Shipping weight (kg)	1312



Picture shown may not represent model quoted

Models	Ref. no.	
SC6500 1300D	56414024	
BLADE KIT-DISC RED GUM	56413770	
BLADE KIT-SQGEE RED GUM H	56413766	
Accessories	Ref. no.	
Pad Holder		
PAD HOLDER-17 3 LUG	56505780	
Special Pad		
PAD 17 432MM ECO BRILLIANCE BLUE 2PCS	10002337	
PAD 17 432MM ECO BRILLIANCE GREEN 2PCS	10002339	
PAD 17 432MM ECO BRILLIANCE RED 2PCS	10002336	



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
PAD 17 432MM ECO BRILLIANCE YELLOW 2PCS	10002338	
Pad 17" / 432 mm		
PAD 17 432MM ECO BLACK 5PCS	10001938	
PAD 17 432MM ECO BLUE 5PCS	10001939	
PAD 17 432MM ECO GREEN 5PCS	10001940	
PAD 17 432MM ECO RED 5PCS	10001941	
PAD 17 432MM ECO TAN 5PCS	10001937	
PAD 17 432MM ECO WHITE 5PCS	10001936	
Disc Brush 430 mm		
DISC BRUSH-17 AGLITE 500 Ø430	56505783	
DISC BRUSH-17 DYNAGRIT 3 LUG	56505782	
DISC BRUSH-17 MAGNAGRIT 3 LUG	56505781	
DISC BRUSH-17 MIDGRIT 3 LUG	56505787	
DISC BRUSH-17 MIDLITE 3 LUG	56505788	
DISC BRUSH-17 PROLENE 3 LUG	56505784	
DISC BRUSH-17 PROLITE 3 LUG	56505785	
DISC BRUSH 17 UNION MIX	56505786	
Deck Blade		
BLADE KIT-DISC GUM 45/48	56413769	
BLADE KIT-DISC PU 45/48	56413755	
BLADE KIT-DISC RED GUM	56413770	
Squeegee Blade		
BLADE KIT SQUEEGEE PU H	56413747	
BLADE KIT-SQGEE RED GUM H	56413766	
BLADE KIT-SQUEEGEE GUM H	56413765	
Battery and Charger		
BATT WET 36V 480A	80562500	
BATT.36V-420AH GEL	80562600	
CHARGER HF 36V 60A SB175G	80563664	
Guard Option		
BUMPER FRONT HEAVY KIT	56413089	
BUMPER TUBE KIT	56414188	
KIT FOOT GUARD	56413773	
KIT WEIGHTED BUMPER	56413870	



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Other		
KIT BATTERY TRAY	56413740	
KIT SOLUTION AUTO-FILL	56413685	
ROLL OUT KIT,NO BATTERY	56413884	



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480
Voltage (V)	36
IP protection class	IP3X
Brush motor (W)	2x1120
Traction motor power (W)	1400
Vacuum motor power (W)	560-3 stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	11700/8190
Scrubbing width (mm)	1300
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	10.5-16
Solution/recovery tank (L)	265/265
Squeegee width (cm)	145
Brush/pad diameter (mm)	-
Brush pressure (kg)	38/54/90
Brush speed (RPM)	630
Brush quantity and type	2 Cylindrical
Length x width x height (mm)	1870x1410-x1480
Gross weight (gvw) (kg)	1547
Shipping weight (kg)	1353



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1300C	56414025
SIDE BROOM	56413056
BLADE, DECK RED GUM	56413654
BLADE KIT-SQGEE RED GUM H	56413766
LEFT SIDE BROOM ASSEMBLY	56413039
RIGHT SIDE BROOM ASSEMBLY	56413040



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Brush Cylindrical		
BRUSH 80 GRIT 48	56413355	
BRUSH 180 GRIT 48	56413354	
BRUSH SOFT NYLON 48	56413352	
BRUSH,HARD NYLON 48"	56413353	
BRUSH,POLYPROPYLENE 48"	56413357	
Side Broom		
LEFT SIDE BROOM ASSEMBLY	56413039	
RIGHT SIDE BROOM ASSEMBLY	56413040	
SIDE BROOM	56413056	
Squeegee Blade		
BLADE KIT SQUEEGEE PU H	56413747	
BLADE KIT-SQGEE RED GUM H	56413766	
BLADE KIT-SQUEEGEE GUM H	56413765	
Battery and Charger		
BATT WET 36V 480A	80562500	
BATT.36V-420AH GEL	80562600	
CHARGER HF 36V 60A SB175G	80563664	
Guard Option		
BUMPER FRONT HEAVY KIT	56413089	
BUMPER TUBE KIT	56414188	
KIT FOOT GUARD	56413773	
KIT WEIGHTED BUMPER	56413870	
Other		
KIT BATTERY TRAY	56413740	
KIT SOLUTION AUTO-FILL	56413685	
ROLL OUT KIT,NO BATTERY	56413884	



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480 Ah C5
Voltage (V)	36
IP protection class	IPX3
Brush motor (W)	2240
Traction motor power (W)	1400
Vacuum motor power (W)	560 3 Stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	9000/6300
Scrubbing width (mm)	1000
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	16/10.5
Solution/recovery tank (L)	265/265
Squeegee width (cm)	214
Brush/pad diameter (mm)	2x505
Brush pressure (kg)	43/90/145
Brush speed (RPM)	240
Brush quantity and type	2xProlene
Length x width x height (mm)	1870x1080-x1480
Gross weight (gvw) (kg)	1460
Shipping weight (kg)	1266



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1100D L16	56414022PA

Accessories	Ref. no.
Brush Cylindrical	
BRUSH 80 GRIT 40	56413116
BRUSH 180 GRIT 40	56413115
BRUSH SOFT NYLON 40	56413113
BRUSH,HARD NYLON 40"	56413114
BRUSH,POLYPROPYLENE 40"	56413118



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Deck Blade		
BLADE, DECK GUM	56413820	
BLADE, DECK RED GUM	56413654	
Squeegee Blade		
BLADE KIT SQUEEGEE PU F	56413745	
Guard Option		
KIT OVERHEAD GUARD	56413774	
Light Option		
BEACON KIT	56413649	
HEADLIGHT KIT	56314313	
Other		
DRAIN HOSE EXTENSION	56601410	
FILTER ANTIFOAMING	909 5065 000	
KIT GRAMMER SEAT	56413764	
KIT,SPRAY WAND	56413687	
KIT,VACUUM MOTOR	56413821	
SEAT BELT KIT- STANDARD	56383455	
Ecoflex System		
ECOFLEX KIT NILFISK	56414145	



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480 Ah C5
Voltage (V)	36
IP protection class	IPX3
Brush motor (W)	2240
Traction motor power (W)	1400
Vacuum motor power (W)	560 3 Stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	9000/6300
Scrubbing width (mm)	1000
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	16/10.5
Solution/recovery tank (L)	265/265
Squeegee width (cm)	214
Brush/pad diameter (mm)	2x505
Brush pressure (kg)	43/90/145
Brush speed (RPM)	240
Brush quantity and type	2xProlene
Length x width x height (mm)	1870x1080-x1480
Gross weight (gvw) (kg)	1,460
Shipping weight (kg)	1266



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1100D Traction	56414022PB

Accessories	Ref. no.
Brush Cylindrical	
BRUSH 80 GRIT 40	56413116
BRUSH 180 GRIT 40	56413115
BRUSH SOFT NYLON 40	56413113
BRUSH,HARD NYLON 40"	56413114
BRUSH,POLYPROPYLENE 40"	56413118



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Deck Blade		
BLADE, DECK GUM	56413820	
BLADE, DECK RED GUM	56413654	
Squeegee Blade		
BLADE KIT SQUEEGEE PU F	56413745	
Guard Option		
KIT OVERHEAD GUARD	56413774	
Light Option		
BEACON KIT	56413649	
HEADLIGHT KIT	56314313	
Other		
DRAIN HOSE EXTENSION	56601410	
FILTER ANTIFOAMING	909 5065 000	
KIT GRAMMER SEAT	56413764	
KIT,SPRAY WAND	56413687	
KIT,VACUUM MOTOR	56413821	
SEAT BELT KIT- STANDARD	56383455	
Ecoflex System		
ECOFLEX KIT NILFISK	56414145	



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480 Ah C5
Voltage (V)	36
IP protection class	IPX3
Brush motor (W)	2x1120
Traction motor power (W)	1400
Vacuum motor power (W)	560 3 Stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	9000/6300
Scrubbing width (mm)	1000
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	16/10.5
Solution/recovery tank (L)	265/265
Squeegee width (cm)	214
Brush/pad diameter (mm)	2 cyl x 974
Brush pressure (kg)	38/54/90
Brush speed (RPM)	630
Brush quantity and type	2xProlene
Length x width x height (mm)	1870x1210-x1480
Gross weight (gvw) (kg)	1,508
Shipping weight (kg)	1314



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1100C L16	56414023PA

Accessories	Ref. no.
Brush Cylindrical	
BRUSH 80 GRIT 40	56413116
BRUSH 180 GRIT 40	56413115
BRUSH SOFT NYLON 40	56413113
BRUSH,HARD NYLON 40"	56413114
BRUSH,POLYPROPYLENE 40"	56413118



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Deck Blade		
BLADE, DECK GUM	56413820	
BLADE, DECK RED GUM	56413654	
Squeegee Blade		
BLADE KIT SQUEEGEE PU F	56413745	
Guard Option		
KIT OVERHEAD GUARD	56413774	
Light Option		
BEACON KIT	56413649	
HEADLIGHT KIT	56314313	
Other		
DRAIN HOSE EXTENSION	56601410	
FILTER ANTIFOAMING	909 5065 000	
KIT GRAMMER SEAT	56413764	
KIT,SPRAY WAND	56413687	
KIT,VACUUM MOTOR	56413821	
SEAT BELT KIT- STANDARD	56383455	
Ecoflex System		
ECOFLEX KIT NILFISK	56414145	



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480 Ah C5
Voltage (V)	36
IP protection class	IPX3
Brush motor (W)	2x1120
Traction motor power (W)	1400
Vacuum motor power (W)	560 3 Stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	9000/6300
Scrubbing width (mm)	1000
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	16/10.5
Solution/recovery tank (L)	265/265
Squeegee width (cm)	214
Brush/pad diameter (mm)	2 cyl x 974
Brush pressure (kg)	38/54/90
Brush speed (RPM)	630
Brush quantity and type	2xProlene
Length x width x height (mm)	1870x1210-x1480
Gross weight (gvw) (kg)	1,508
Shipping weight (kg)	1314



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1100C Traction	56414023PB

Accessories	Ref. no.
Brush Cylindrical	
BRUSH 80 GRIT 40	56413116
BRUSH 180 GRIT 40	56413115
BRUSH SOFT NYLON 40	56413113
BRUSH,HARD NYLON 40"	56413114
BRUSH,POLYPROPYLENE 40"	56413118



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Deck Blade		
BLADE, DECK GUM	56413820	
BLADE, DECK RED GUM	56413654	
Squeegee Blade		
BLADE KIT SQUEEGEE PU F	56413745	
Guard Option		
KIT OVERHEAD GUARD	56413774	
Light Option		
BEACON KIT	56413649	
HEADLIGHT KIT	56314313	
Other		
DRAIN HOSE EXTENSION	56601410	
FILTER ANTIFOAMING	909 5065 000	
KIT GRAMMER SEAT	56413764	
KIT,SPRAY WAND	56413687	
KIT,VACUUM MOTOR	56413821	
SEAT BELT KIT- STANDARD	56383455	
Ecoflex System		
ECOFLEX KIT NILFISK	56414145	



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480 Ah C5
Voltage (V)	36
IP protection class	IPX3
Brush motor (W)	3x1120
Traction motor power (W)	1400
Vacuum motor power (W)	560 3 Stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	11700/8190
Scrubbing width (mm)	1300
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	10.5-16
Solution/recovery tank (L)	265/265
Squeegee width (cm)	214
Brush/pad diameter (mm)	3x432
Brush pressure (kg)	43/90/145
Brush speed (RPM)	225
Brush quantity and type	2xProlene
Length x width x height (mm)	1870x1330-x1480
Gross weight (gvw) (kg)	1,506
Shipping weight (kg)	1,312



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1300D L16	56414024PA



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480 Ah C5
Voltage (V)	36
IP protection class	IPX3
Brush motor (W)	3x1120
Traction motor power (W)	1400
Vacuum motor power (W)	560 3 Stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	11700/8190
Scrubbing width (mm)	1300
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	10.5-16
Solution/recovery tank (L)	265/265
Squeegee width (cm)	214
Brush/pad diameter (mm)	3x432
Brush pressure (kg)	43/90/145
Brush speed (RPM)	225
Brush quantity and type	2xProlene
Length x width x height (mm)	1870x1330-x1480
Gross weight (gvw) (kg)	1,506
Shipping weight (kg)	1,312



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1300 D Traction	56414024PB

Accessories	Ref. no.
Brush Cylindrical	
BRUSH 80 GRIT 40	56413116
BRUSH 180 GRIT 40	56413115
BRUSH SOFT NYLON 40	56413113
BRUSH,HARD NYLON 40"	56413114
BRUSH,POLYPROPYLENE 40"	56413118



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Deck Blade		
BLADE, DECK GUM	56413820	
BLADE, DECK RED GUM	56413654	
Squeegee Blade		
BLADE KIT SQUEEGEE PU F	56413745	
Guard Option		
KIT OVERHEAD GUARD	56413774	
Light Option		
BEACON KIT	56413649	
HEADLIGHT KIT	56314313	
Other		
DRAIN HOSE EXTENSION	56601410	
FILTER ANTIFOAMING	909 5065 000	
KIT GRAMMER SEAT	56413764	
KIT,SPRAY WAND	56413687	
KIT,VACUUM MOTOR	56413821	
SEAT BELT KIT- STANDARD	56383455	
Ecoflex System		
ECOFLEX KIT NILFISK	56414145	



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480 Ah C5
Voltage (V)	36
IP protection class	IPX3
Brush motor (W)	2x1120
Traction motor power (W)	1400
Vacuum motor power (W)	560 3 Stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	11700/8190
Scrubbing width (mm)	1300
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	10.5-16
Solution/recovery tank (L)	265/265
Squeegee width (cm)	214
Brush/pad diameter (mm)	2 cyl x 1184
Brush pressure (kg)	38/54/90
Brush speed (RPM)	630
Brush quantity and type	2xProlene
Length x width x height (mm)	1870x1410-x1480
Gross weight (gvw) (kg)	1,547
Shipping weight (kg)	1,353



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1300C L16	56414025PA

Accessories	Ref. no.
Brush Cylindrical	
BRUSH 80 GRIT 40	56413116
BRUSH 180 GRIT 40	56413115
BRUSH SOFT NYLON 40	56413113
BRUSH,HARD NYLON 40"	56413114
BRUSH,POLYPROPYLENE 40"	56413118



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Deck Blade		
BLADE, DECK GUM	56413820	
BLADE, DECK RED GUM	56413654	
Squeegee Blade		
BLADE KIT SQUEEGEE PU F	56413745	
Guard Option		
KIT OVERHEAD GUARD	56413774	
Light Option		
BEACON KIT	56413649	
HEADLIGHT KIT	56314313	
Other		
DRAIN HOSE EXTENSION	56601410	
FILTER ANTIFOAMING	909 5065 000	
KIT GRAMMER SEAT	56413764	
KIT,SPRAY WAND	56413687	
KIT,VACUUM MOTOR	56413821	
SEAT BELT KIT- STANDARD	56383455	
Ecoflex System		
ECOFLEX KIT NILFISK	56414145	



Your reliable choice for large area cleaning

Technical specifications	
Energy Label	
Solution pump min./max. (l/min. at 100 psi)	3.1-9.4
Max. running time (hour)	5 HOURS
Max. speed (km/h)	9
Battery capacity (Ah/5)	480 Ah C5
Voltage (V)	36
IP protection class	IPX3
Brush motor (W)	2x1120
Traction motor power (W)	1400
Vacuum motor power (W)	560 3 Stages
Sound pressure level (dB(A))	70
Productivity theoretical/actual (m ² /h)	11700/8190
Scrubbing width (mm)	1300
Min. turn-around aisle width (cm)	214
Max. climbing rate (%)	10.5-16
Solution/recovery tank (L)	265/265
Squeegee width (cm)	214
Brush/pad diameter (mm)	2 cyl x 1184
Brush pressure (kg)	38/54/90
Brush speed (RPM)	630
Brush quantity and type	2xProlene
Length x width x height (mm)	1870x1410-x1480
Gross weight (gvw) (kg)	1,547
Shipping weight (kg)	1,353



Picture shown may not represent model quoted

Models	Ref. no.
SC6500 1300C Traction	56414025PB

Accessories	Ref. no.
Brush Cylindrical	
BRUSH 80 GRIT 40	56413116
BRUSH 180 GRIT 40	56413115
BRUSH SOFT NYLON 40	56413113
BRUSH,HARD NYLON 40"	56413114
BRUSH,POLYPROPYLENE 40"	56413118



Scrubber dryers

Your reliable choice for large area cleaning

Accessories	Ref. no.	
Deck Blade		
BLADE, DECK GUM	56413820	
BLADE, DECK RED GUM	56413654	
Squeegee Blade		
BLADE KIT SQUEEGEE PU F	56413745	
Guard Option		
KIT OVERHEAD GUARD	56413774	
Light Option		
BEACON KIT	56413649	
HEADLIGHT KIT	56314313	
Other		
DRAIN HOSE EXTENSION	56601410	
FILTER ANTIFOAMING	909 5065 000	
KIT GRAMMER SEAT	56413764	
KIT,SPRAY WAND	56413687	
KIT,VACUUM MOTOR	56413821	
SEAT BELT KIT- STANDARD	56383455	
Ecoflex System		
ECOFLEX KIT NILFISK	56414145	

